



Index










































Casco Antiguo is a company with more than 40 years of experience in the manufacture, sale, distribution and marketing of professional, technical and recreational diving equipment. Its professional and technical area supplies diving equipment for the specialized divisions of **Professional Diving and Underwater Technology, Military Diving and Rescue**, covering a very complete catalog of materials and technical equipment used by the State Security Forces, firefighters and rescue units, in addition to the great contribution of equipment for underwater research that the **Oceanography** division provides.

Check our product catalog



DIVING



COMMERCIAL DIVING



MILITARY



OCEANOGRAPHY



SEARCH AND RESCUE



Casco Antiguo Business Offices







SPAIN - MADRID

Headquarters

C/ De Senda Galiana D15 Oficinas - C16/C18 Almacén 28821, Coslada, Madrid

+34 638 239 617 ventas@cascoantiguo.com

SPAIN - MALAGA

Commercial Diving Headquarters

C/ Pascal 36
29004, Malaga
+34 608 73 26 80
contactopro@cascoantiguo.com

PORTUGAL

Estrada Nacional 10, KM 18, Coina, Barreiro +351 21 210 92 60 portugal@cascoantiguo.com

CHILE

C/ Bernardino 1985, módulo 1, Puerto Montt +56 065 2 270961 infochile@cascoantiguo.com



MEXICO

Carretera Federal Tulum - Cancun Km 293,7 Mza 2 lote 21 local 8, Colonia Ejidal 77710 Playa del Carmen, Quintana Roo +52 984 688 34 80

infomexico@cascoantiguo.com



PANAMA

Calle 72 Este, 113, Local Casco Antiguo Buceo Planta baja Ciudad de Panamá

+507 398 8039

infopanama@cascoantiguo.com



COLOMBIA

Calle 28 Crr 24-71 piso 1, apto 1, Barrio Manga, 130001 Cartagena, +57 3107231330

z.garcia@cascoantiguo.com



USA - MIAMI

7879 NW 15th Street Doral FL 33126

+1 305 547-9899

customerservice@cascoantiguo.com



DELEGACIÓN MARRUECOS

Lote 76-77-78 ZI El Jadida, Marruecos +212 (0) 661207939

charaf@cascoantiguo.com



COMMERCIAL DIVING CATALOG

Leaders in the commercial diving market with experience and international presence to meet the needs of each of our customers.

Since our origins, we are professional divers, a quality that allows us to know the characteristics of underwater works. Therefore, we offer advice, consultancy and training as added values to the sale of professional diving equipment.

Helmets & Bandmasks
Umbilicals
Gas panels
Closed Circuit TV and Video
Underwater communications
Underwater cutting and welding
Open and closed lifting balloons
ROVs, AUVs and accessories
Hyperbaric chambers
Underwater acoustics
Measuring and control equipment
Dry suits, harnesses, boots...

We distribute the most prestigious brands worldwide: Kirby Morgan, Interspiro, Seaflex, Broco, OTS, Stanley, Broco, Sub-Atlantic...

We have an engineering and R+D department for the development, manufacturing, certification and commissioning of equipment. We have an official technical service for the repair and maintenance of different equipment. In addition, We are certificated with the ISO 9001 and ISO 14001 standards























































HELMETS, MASKS & BANDMASKS







AH5 FREE FLOW HELMET

SBMP010101DVX

The Divex AH5 is the successor to the Divex AH3 and AH4, the helmets which have been chosen by most professional divers as standards of safety, quality, performance and reliability.





KIRBY MORGAN 97 W/MWP HELMET-

SBMP01KM500701KMD

The Kirby Morgan® 97 helmet has a 455 compensated regulator. The 455 compensated regulator is made completely of stainless steel and offers virtually the same breathing performance as the REX regulator.





KIRBY MORGAN 37 HELMET

SBMP01KM500051KMD

The Kirgby Morgan 37 helmet continues the tradition of offering the highest quality and best performance. With a new "Quad-Valve air expulsion system, which can go fitted in most previous Kirby models. Providing less expulsion resistance than the previous system in addition to including even better sealing. Recommended for diving in polluted waters.







KMB 28B BANDMASKS - SBMP01KM500029KMD

KMB 28B MASK This mask has been fully tested and certified. The KMB 28B BandMask can be used in mixed gas diving, as well as in shallow water diving. Incorporates the SuperFlow 350 second stage regulator as standard.





M-48 MOD-1 FULL FACE MASK WITH REGULATOR - SBMP01KM800151KMD

The M-48 Mod-01 mask is a latest generation mask. It maintains the exclusive design of two cavities, which allows to extract the lower module when we are on the surface in order to save air. Can also be used with different communication systems.





AGA MKII FULL FACE MASK POSITIVE PRESSURE - SBMP010707ISP

Mask easy to install and use, silicone, facilitating its coupling and its sealing to the face of the diver. The attachment of this mask can be adjusted with a tensioner provided with 5 quick release straps. It incorporates a compensation clamp as well as a system preventing the glass from misting up.



SPECTRUM FULL FACE MASK - TKMA01019200361BLOTS

With the Full Face Spectrum Mask, OTS has created the best full face mask on the market that allows divers to use their own regulators and eliminate the high costs associated with standard FFM, without sacrificing luxury.









NORWAY

TKTDVTNORWAYS

The TDS Norway drysuit, along with its twin the Quebec, are the range in compressed neoprene of TDS watertight suits. The Norway model, aimed more at technical divers, stands out for including a large pocket and a sock-type foot closure, allowing it to be worn with a rock boot of choice while also making the entire suit lighter.

Sizes: S - M - L - XL - 2XL









QUEBEC

TKTDVTQUEBECL

The TDS Quebec drysuit, along with its twin the Norway, are the compressed neoprene range of TDS drysuits. The Quebec model includes a boot with a very light rigid sole, a feature that makes it very appreciated even by professional and commercial divers in their work. It also has a large pocket and flexible knee pads for protection.

Sizes: S - M - L - XL - 2XL





NORTHERN DIVER

1000G RE THOR DRYSUIT

Thor drysuit is manufactured from a vulcanised polymer created from a mix of high-grade rubber and EPDM. Vulcanised laminated polymers are carried on a multidirectional 4-way-stretch knitted polyester, which gives excellent strength and durability. The Thor is suitable for commercial diving applications but is also an excellent option for military and rescue purposes.



NORTHERN DIVER EVOLUTION 8 HOTWATER SUIT

The hotwater suit has been developed over the past 20 years. The suit is based around a unique heavy anodized aluminium water distribution valve, with its unique 360 degree stainless steel quick connector. The water flows along an anti-kink rubber pipe profile, designed by, and unique to, Northern Diver. The pipes are held in place by a padded neoprene cover for comfort. All pipe runs are directed for comfort during those long bell runs.







SVALBARD THINSULATE THERMAL UNDERWEAR

TKVT0301ZHBK-01LTDS

The Svalbard undergarment from TDS has been made with the best current thermal protection material: Thinsulate. Lightweight and elastic, the Svalbard offers a very comfortable fit thanks to an elaborate pattern, as well as being the ideal complement to any dry suit.

Sizes: M - L - XL - XXL - XXXL







THERMODIVE UNDERSUIT SHIRT

TKVT0401THERD2TDS

Thermodive Undersuit Shirt are designed to provide the thermal protection and comfort needed to dive with a dry neoprene suits Trilaminated dry suits serve as a thermal complement to thermal interiors of greater weight The shirt has clasps in the cuffs specially designed so the shirt can be worn without the sleeves bunching up and they do not interfere the cuffs sealing.

Sizes: S - XXL (2-6)



THERMAL UNDERWEAR PRO M20 B400 THINSULATE



THERMODIVE UNDERSUIT PANTS

TKVT0401THERDP3TDS

Thermodive Undersuit Pants are designed to provide the thermal protection and comfort. Sizes: S/M - L/XL









MK5 HARNESS - SBMP150104DVX

The "vest style" safety harness that distributes the load over the whole body. This harness supports the fully equipped diver safely and comfortably. With stainless steel straps and D-rings with high load capacity and bottom rings for tools or hookah closures. With 6 pockets to each accommodate 8 pounds of lead, and the ability to quickly release them. The harness has been tested and CE marked in accordance with EN 250 and the manufacturer's specifications, demonstrating a tensile strength greater than 600 kg.



NORTHERN DIVER

SAFE HARNESS

With a phenomenal overall breaking strength of 1000kg, the All New Northern Diver R-Vest has surpassed the requirements set by the 'Association of Diving Contractors International' Standards.





SAFE HARNESS MKII SIMPLE C/ BACK PACK - SBMP150102DVX

The Divex Mk2 Webbing Harness is a simple "parachute" style harness with sturdy straps and large stainless steel D-rings. The harness also includes a Kam type backpack which allows the attachment of rescue cylinders from 5 "to 9" in diameter.



MARK IV JUMP JACKET HARNESS-BCD

SRAR0103JUMPMK4

Compensation harness-vest Mark IV Jump Jucket that allows the rapid recovery of the injured person thanks to the integrated lifting harness and supplying gas if necessary.



WEIGHT SYSTEM 7 KG
BRIDSLBAUDRIER







JET FIN XTREM - TKAL0101901

The TDS Jet Fin Xtreme fin is one of the shortest fins of its kind, with a lateral reinforcement and designed to make it more maneuverable, which makes it very popular, like its predecessor, among technical and professional divers. Made of 100% rubber and with a compact design for superior mobility, it incorporates a dynamic edge for more powerful thrust, this design reduces drag on the up kick and improves the thrust on the up kick the bottom. All this hydrodynamic design, together with its channels, provides maximum efficiency, mobility and propulsion.

It incorporates a closure with stainless steel springs and rubber grips with a curved angle for adjustment in the heel, which also allows them to be snapped up comfortably for carrying on the harness or for storage.





JET FIN MSP - TKTDALMPSB2XL

TDS Jet Fin MSP belongs to the tactical-military range, tested by different armies and special forces. Jet Fin type rubber fin "long" with traditional design, also available to technical and sport divers, as well as professional divers, looking for a powerful and immediate response fin. Made of 100% rubber, it offers a very high durability over time as well as resistance in the worst conditions.



TECHNICAL DIVE SYSTEM

OMAHA XTREM 2.1 ROCKBOOT

TKVTOMAHANW

The Xtrem 2.1 is the improved model of the Omaha series of Rockboots for sock dry suits, the most advanced of TDS, used by armies and water rescue brigades. Redesigned sole is more flexible







KIRBY MORGAN

GAS PANEL KMACS5 - SBMP09KM400046KMD

The KMACS-5 is a lightweight, portable air supply, depth control and communications panel for two divers. Control panel for 2 divers. Air control. Pneumo control. Integrated communications. Bottle selector. Adjustable regulator.



Casco de Antiguo

GAS PANEL CONTROL III 3 DIVERS - SBMP090511SBQ

A portable power system with control and monitoring for diving operations with surface air supply for three divers. The system was designed to supply air from the surface and control the depth of the divers.



Casco

GAS PANEL CONTROL II 2 DIVERS - SBMP090500SBQ

A portable power system with control and monitoring for diving operations with surface air supply for three divers. The system was designed to supply air from the surface and control the depth of the divers.



Casco sa Antiguo

GAS PANEL FULL DIVING CONTROL 4 DIVERS - SBMP06010101DOA

A portable control and monitoring supply system for surface supplied air diving operations for three divers. The system has been designed to supply air from the surface, control the depth of the divers, have communication and visualize the operations of the divers from the surface.









EOLO COMPRESSOR LOW PRESSURE (GASOLINE)

Coltri Eolo Low pressure Gasoline compressor for use with a hookah for any long-term intervention, type underwater work, at medium depth; Honda 5.5 HP gasoline engine allowing full autonomy use; 3 stages and an intermediate safety tank and for do not feel the knocks of the compression, carbon filter screen, pressure control manometer and outlet pressure regulator (about 8 bars)



MEDIUM PRESSURE COMPRESSOR





EOLO LOW PRESSURE COMPRESSOR (ELECTRIC)

Coltri Eolo Low pressure Electric compressor for use with a hookah for any long-term intervention, such as underwater work, at medium depth; 220 volt single-phase 2 kw electric motor that can be plugged into most "classic" sockets (16A); 3 stages and an intermediate safety tank and so as not to feel the pressure of the compression, carbon filter screen, pressure control manometer and outlet pressure regulator (about 8 bars);



LOW PRESSURE COMPRESSOR











ICON LSE 100 COMPRESSOR (ELECTRIC MONO-PHASE)

Coltri Icon LSE 100 Scuba Diving Portable Compressor: Portable high pressure compressor for refilling diving tanks. Powered by a single phase electric motor. The compact dimensions make it ideal for a particular compressor. Easy to move and carrying.



ICON LSE 100 SH COMPRESSOR (HONDA GASOLINE)

Coltri Icon LSE 100 SH Scuba Diving Portable Compressor: Portable high pressure compressor for refilling diving tanks. Powered by a Honda Gasoline motor. The compact dimensions make it ideal for a particular compressor. Easy to move and carrying.



MINI SILENT

Small, quiet and powerful. The Coltri breathing air compressors of the Mini Silent series, equipped with 100 and 125 I / min pumping units. They are characterized by extreme silence, obtained without sacrificing performance.











SMART COMPRESSOR 125 - 195 (EM) 235 - 315 (ETS)

The MCH 16/ET Standard is one of Coltri's most popular breathing air compressors. This three phase unit has a charging rate of 315 L/min (11.1 CFM FAD), capable of filling a 10 Litre cylinder from empty to 200 bar in 6.3 minutes. The Standard frame allows the compressor to be transported easily, auto stop and automatic condensate drains are available as options.



RGO COMPRESSOR 235 - 315 - 345 - 380

Coltri compressor model MCH13-16 Smart. Coltri's SMART line of breathing air compressors are STAN-DARD line evolution, the world's best known and sold. All models are equipped with two connections for high pressure hoses (from 232 to 330 bar), a single-phase or three-phase electric motor, robust pumping units (MCH 8, MCH 13 or MCH 16 depending on the specific model) and a compact frame with handles, suitable for transport. External refilling panels and an electrical display are available as optional extras, with various automatic features including automatic condensate drainage and an autostop pressure gauge.



ERGO 315 SH COMPRESSOR PETROL

the Coltri ERGO PETROL Breathing Air Compressor is an excellent choice for those who need an easy to use, versatile and portable compressor. It is equipped with 2 front filling connections for high pressure hoses (from 232 to 330 bar), a Honda petrol engine and the robust 315 pumping unit. The ergonomic frame cools the equipment perfectly by means of its composite casing. The remote filling panel is available as an optional extra.







MARK III SILENT COMPRESSOR 235 - 315 - 345 - 380 ET (THREE-PHASE)

Ideal for intensive use in hot, poorly ventilated environments or in tropical countries. Designed with an improved cooling system and a filtering system with two Hyperfilters, these compressors are powered by an electric motor and equipped with four different pumping units, all in the TPS (Tropical Plus Superdry) version.





SUPERSILENT COMPRESSOR 235 - 315 - 345 - 380 ET (THREE-PHASE)

Supersilent TPS ETS Commercial Diving High Pressure Compressor: Specially designed to minimize noise. It features an enhanced cooling and sound insulation system and an efficient filtering system with two Hyperfilters. Powered by an electric motor, it is equipped with four different pumping units, all in the TPS (Tropical Plus Superdry) version, and with an intuitive control panel. For longer filter life, the Tornado high pressure dryer is recommended.







SILENT COMPRESSOR 450-550-650-750 ET (THREE-PHASE)

Scuba Diving High Pressure Compressor Threephasic: The SILENT model represents excellence in soundproofing. It has been designed to meet the needs of very intensive uses and when large filling capacities are required. Equipped with 4 front filling connections for high pressure hoses (from 232 to 420 bar), a control panel and an electrical display. They are equipped with a three-phase electric motor and powerful pumping units (450 550 650 750 depending on the specific model).





OPEN COMPRESSOR 450-550-650-750 ET (THREE-PHASE)

Open threephasic Commercial Diving High Pressure Compressor: Open meets professional needs that require large charging capacities in hot, poorly ventilated or tropical countries. It is equipped with 4 front filling connections for high pressure hoses, an intuitive control panel and an electric motor. The pumping unit, chosen from the 4 most powerful, is exposed in the rear part of the structure to ensure a better cooling cycle. For longer filter life, the Tornado high pressure dryer is recommended

Casco Antíguo







LP 250 NITROX ROTARY

Coltri LP250 Nitrox ROTARY for Scuba Diving: It consists of an industrial screw compressor that delivers air at a pressure of 10 bar to the Parker® membrane. The percentage of oxygen obtained at the outlet can be adjusted from 32% to 36% thanks to a valve accessible on the front side of the compressor. If connected to a compressor with pumping unit 315 (MCH 16), Nitrox at 32% can be obtained up to a pressure of 232 bar. The oxygen analyzer allows you to check the correct percentage, adjusting it through the appropriate valve.







The Coltri LP300 Nitrox ROTARY model consists of an industrial screw compressor that delivers air at a pressure of 12 bar to a membrane that separates nitrogen and oxygen up to a maximum percentage of 40% O2. The enriched air can be compressed at a pressure of 232 bar in combination with a high pressure compressor. The percentage of oxygen obtained at the outlet can be regulated from 22.4% to 40% using a valve directly accessible on top of the compressor. The oxygen analyser allows checking of the correct percentage adjusted by means of the appropriate valve.

NITROX







LP 600 NITROX ROTARY

At the top of the Nitrox line, the Coltri LP600 ROTARY system consists of an industrial screw compressor that delivers air at a pressure of 8 bar to a membrane that separates nitrogen and oxygen at atmospheric pressure until Nitrox 40% O2 is obtained and can be compressed at a pressure of 232 bar in combination with a high pressure compressor. The percentage of oxygen obtained at the outlet can be regulated from 22.4% to 40% using a valve directly accessible on top of the compressor. Exclusive to the the Heavy Duty line compressors.








Fibren

UMBILICALS FOR DIVING AND VIDEO

Diving Umbilicals designed and manufactured in a helical lay construction that has become the industry standard for all professional diving applications. Specific cables are available for air, audio and video connection offering maximum versatility and strength.



Fibren

3/4 PART UMBILICAL W/FITTINGS (4-WIRE) - SBMP140217FBN

Several types of hoses are available to suit specific applications taking into account pressure rating, flexibility and abrasion resistance. Hoses are braided with cables to meet all source, communications and video requirements. Several mounting and electrical connection terminations are available to meet specific requirements.

Available in a range of standard 50, 100, 150 and 200 meter cord dive cables, although we can provide custom hookahs in various lengths.

There are different configurations and customization for diving hookahs, with options for air, pneumo, communications, mini TV and hot water.







Casco Antiguo
SHARK-EYE HD CAMERA

SBMP1300008SBQ

High definition camera for professional diving.







VIDEO SYSTEM X-VISION HD

SBMP130126SBQ

The closed circuit television "X-VISION" has been designed in order to be able to record underwater images with one, two, three or four divers in the water. Its robust and modern design makes it stand out from other closed circuit television. Designed for video recording, it also incorporates connections to record communication, thus synchronizing the video with the communication. Its storage on a solid SSD hard disk provides you with a security in the recording of your files above any other traditional storage system. The X-VISION system is suitable for work in all types of environments, thanks to its suitcase resistant to marine environments and its high-quality materials and connectors. With RCA input and HDMI output connections, you can view the image on a larger screen (video out) or record the communication between the tender and the diver (audio in). In addition, it has one, two, three or four intensity regulators (dimmer), to regulate the LED spotlights available, where you can choose the intensity that is needed at all times to obtain a clear and sharp image thanks to to their potentiometers. Its high-definition, high-sensitivity camera and coaxial cable complete the X-VISION recording system.











SURFACE STATION SUBCOM 4 SBMP03010002SBQ

The Subcom Control Unit is a device designed as an underwater communication system between the surface caller and one or two divers. Thanks to the 4-wire communication, divers can communicate with each other.





SURFACE STATION AQUACOM STX-101M (EU)

SBMP03020103OTS

Military Surface Station. 8 channel, 10 watts. Includes Int'l charger, hand held mic, and transducer.



AMRON INTERNATIONAL

SURFACE STATION AMCOM III

SBMP03010800AMR

Three-Diver Deluxe Portable Communicator with Wireless Tender













HYDOR UMBILICAL LED LIGHT 4000 - TKILH4ETDS TDS HYDOR UMBILICAL led light is a 4000 lumens 12 degrees portable spotlight led light for technical scuba diving, the generated light is a concentrated beam of high intensity, The magnetic control switch, allows use with one hand, has 3 level brightness adjustment, and built-in battery level indicator.



MARU LED LIGHT 1200 - TKILO101UML1200NSTDS

The TDS Maru is a high powered (new version with 1200 lm) LED flashlight that packs a real punch for its size. The Maru has a 10° angled beam and is powered by an 18650 Lithium battery.

Casco de Antiguo

SHARK LIGHT LED - SBMP0701000SBQ

The Shark Light projector has been designed to illuminate work areas, even in the most hostile environments. Its small size and weight make it a very useful and easy to manage tool. The housing is made of stainless steel, which makes it almost indestructible to wear, with an output of 1500 to 1700 lumens and a light angle of 140 °. A 2-pin Seacon BH-2-MP connector is incorporated for reliable and secure coupling.







BROCO

CUTTER BR-22- SBMP040104BRC

For divers thought by divers, the Broco system optimizes performance, safety and facilitates use. The system includes a series of components designed to work together, ranging from the oxygen cylinder to the work clamp.





ROD CUT 9,5 X 480 MM (3/8") (50 UD) - SBMP040813HYD



BROCO

LARGE FLOW RATE REDUCER 02 HVR - SBMP040303BRC

The Broco Oxygen Regulator is a two-stage unit with a high continuous flow for underwater combustion. Broco's studies show that the efficiency of the cut depends more on the flow of oxygen than on its pressure.





PVL CUTTING SYSTEM - SBMP040602PVL

Oxygen and propylene cutting system sub-system: Oxygen and propylene cutting system, clean cut without residue. Easy handling Robust 2 models: 55 degrees or 90 degrees.







WELDING CLAMP EH400 - SBMP040105HYD


The Hydroweld EH400 underwater welding gun is used throughout industry. Among its advantages, it should be noted that they are economical, very light and resistant. They are distributed together with a cable of approximately 2 meters and 50 mm2 terminated by a male Dinze type connector.





ELECTRODE STD 2.5 MM INOX - SBMP040813HYD

Hydroweld FS wet welding electrodes are the result of significant research and development in metal casting formulations and coatings. They are designed to work in all kinds of situations in fresh or salt water at a depth of at least 100 meters. Their excellent properties make them easy to use for underwater welding.





SINGLE-POLE SWITCH WCB 400 - SBMP040106HYD

Power switch for diver safety.



CENTRAL INVERTEC - SBMP040504MLG

This electrode welding equipment has been designed and manufactured to combine strong and rugged construction with excellent arc characteristics. Both pieces of equipment are manufactured to withstand harsh environmental conditions by using Lincoln tunnel technology to separate electronic boards and sensitive parts from cooling air pollution. The sturdy metal housing with wide protective rubber angles makes this equipment suitable for operation with a generator or in a workshop, offering maximum flexibility and durability.







SURSEA

CLEANING TOOL MC212 - SBMP06010212SIS

Our MC212 underwater cleaning unit has a track record of over 30 years of service. The twin tool unit consists of two halves connected by a hinged joint and is designed for cleaning light and heavy marine fouling from offshore oil and gas platforms, jetties, piles, windmills and other curved structures as well as medium-sized ships.



STANLEY

BR67 UNDERWATER BREAKER/DRIVER - SBMP06010202DBS

The BR67 is a medium sized breaker in Stanley Hydraulic Tools line up of underwater paving breakers. The BR67 is in the 70 lbs class of breakers and is used for medium concrete and rock breaking, coral removal and rod driving.





GASOLINE CAVITATION CLEANING MACHINE - SBMP060308NOS


The cavitation cleaning machine is driven by a powerful and reliable 9.5 kW gasoline engine or Honda engine. Standard equipment includes the Evo2 pistol.





SUPER RAPTOR MONO GAS HYDRAULIC PLANT - SBMP06010101DOA

The cavitation cleaning machine is driven by a powerful and reliable 9.5 kW gasoline engine or Honda engine. Standard equipment includes the Evo2 pistol.









Z-CUT KNIFE TITANIUM 17 CM

TEKCU0101BC302WSCK

Knife made with the best Titanium alloy a + B, lightweight and high resistencia. Length:: 17 cm.



GREEN RIVER SHEATH + CARABINER + EXTENDABLE



GREEN RIVER

CU234117116YS FALT TIP CU234216116HY WITH TIP

The commercial diver's favorite knife, very robust and large. Ideal for cutting large ropes and hoses.







BUCKLEYS

BATHYCORROMETER STANDARD KIT

SBMP080103BCK

The Bathycorrometer® is an advanced, hand held, diver operated unit providing a consistent way of determining the corrosion of subsea structures. The current model is based on the original Roxby unit which has been in service since 1971. It will provide the diver with a direct readout of corrosion potential at the point of application.





MULTIGAUGE 3000 ULTRASONIC DENSITY INDICATOR + PROBE

SBMP080210TTX

The MULTIGAUGE 3000 Submarino indicator is a density measuring device designed for use by a diver, for the most common applications such as density measurement underwater. This is a simple and robust manual indicator, which uses multiple echo waves, ignoring coatings and only measuring the thickness of the remaining metal













FIFISH V6 - SBMP101018TIL

With all-directional freedom of movement and a compact design, FIFISH V6 delivers a revolutionary point of view for explorations, underwater photography, and industrial inspections.

Ø CY583

BLUEROV2

Ocean research, exploration and adventures are easily accessible with our flagship product, the BlueROV2.









Survey and Scientific grade bathymetric data collection. The V7 Super SeaKing 704 Bathymetric system is now fitted with high accuracy conductivity and temperature sensors, resulting in increased survey grade performance. A scientific option is also available for use where the user requires measurements recorded to an even higher degree of accuracy.





MICRON SONAR - SBMP101018TIL

Similar features to the SeaKing sonar in a compact housing. The Tritech Micron Sonar has set new standards in compact sonar technology. It is the smallest digital CHIRP sonar in the world. CHIRP technology dramatically improves the range resolution compared with conventional sonars – it is a feature normally associated with much larger, more expensive systems.





MICRONNAV - SBMP102006TIL

USBL tracking for small vehicles. The MicronNav system is an innovative UltraShort Base Line (USBL) positioning system designed for small vehicles. It has been primarily designed to be used in conjunction with the Tritech Micron sonar and other products in the Micron range but will also adapt well to other sonars such as those from the SeaKing range.





ALTIMETER MICRON ECHO SOUNDER - SBMP101017TIL

Stand-alone altimeter for small vehicles. The Tritech Micron Echosounder is an ideal complement to other sensors and sonars on compact ROVs. It is able to be operated as a stand-alone unit or integrated with other devices and gives small vehicles access to accurate subsea measurements.









SAR1 UNDERWATER METAL DETECTOR

SBMP08001JWF

Snareless metal detector, no external wires or cables. JW Fishers SAR-1 was specifically designed for military, law enforcement and public safety dive teams to locate metallic objects in low visibility environments. The "snareless" SAR-1 has a streamlined design with no external wires or cables which makes this detector the ideal tool for work in environments with potential entanglement hazards.





CT1 CABLE TRACKER

SBMP03020103OTS

The ideal tool for tracking power and communication cables. JW Fishers CT-1 cable tracking system was specifically designed to locate and track deeply buried power and communications cables. The cable tracker will locate cables on land or underwater. The CT-1 will not only track cables, but also identify faults or break points that are exposed to water





STARFISH 990F

SBMP101032TIL

The StarFish range has gained worldwide recognition as the most compact, affordable, towed side scan sonars for the professional underwater survey industry.





LARS CESTA LITE COMPACT 2 BUZOS - SBMP110401POM

This Lars system, Cesta Lite Compact for 2 divers, has been specially designed to offer an extremely compact option with the standard launch and recovery systems offered by our competitors. The size has been adjusted as much as possible to take up as little space as possible, and its transport is as economical as possible.

The use of high quality stainless steel makes this system able to withstand the harshest environments of the sea. Thanks to the steel, the tool life is considerably increased, which also contributes to the environment.










OPEN LIFT BAG - MPGERAGI

Open Lift Bags are available with different lifting 30, 50, 100, 200, 500, 1000 and 200 kg. Made of nylon with reinforced stitching and heat sealed to prevent cracking and air leakage. Bag attachments are made of stainless stitching and heat sealed to prevent cracking and air leakage. The balloon attachments are made of stainless rings joined to the nylon by means of a very strong thermosealing to prevent breakage or tears. These rings are placed so that with correct use and good balance, the lift bag is fully compensated.



SEAFLEX

OPEN LIFT BAG - SBMP050409SFX

Used for refloating vessels and lightening of structures. Resistant fabric. Guiding system for waters with poor visibility.




SEAFLEX

IBU CLOSED LIFT BAGS- SBMP050421SF

Inflatable Buoyancy Unit (IBU) is part of a standard range of Inflatable Buoyancy Units (IBU) for supporting static loads at any depth. Their advanced design and careful construction ensures a safe and robust product which is universally accepted by marine contractors around the world. While good for vessel draft reduction and lightening underwater structures, their main application is as installation buoyancy on pipeline beach pulls and river crossings.







Casco Antiguo HYPERBARIC CHAMBER

Casco Antiguo manufactures hyperbaric systems for the diving industry and hospitals with all the required certifications.





HYPERBARIC CHAMBER HYPERLITE 1

The Hyperlite 1 is the world leading portable hyperbaric chamber and the only internationally approved non-metallic chamber capable of any 100% Hyperbaric Oxygen Therapy (HBOT)

www.cascoantiguopro.com